

grab & go



ZERO ZONE COOLVIEW® DOORS

Features & Options



ZERO ZONE WARRANTY

Limited Warranty

Zero Zone, Inc. (Seller) hereby warrants that any products manufactured by it and sold are warranted to be free from defects in material and workmanship, under normal use and service for its intended purpose, for a period of one (1) year from the date of original installation (not to exceed 15 months from the date of factory shipment). Zero Zone ChillBrite® LED Lighting carries a 5-year parts warranty. Zero Zone CoolView® Doors carry a 10-year glass pack parts warranty. The obligation under this warranty shall be limited to repairing or exchanging any part, or parts, FOB Factory, which is proven to the satisfaction of the Zero Zone Service Department to be defective. Zero Zone reserves the right to inspect the job site, installation, and reason for failure. This limited warranty does not cover labor, freight, or loss of food or product, including refrigerant loss. This warranty does not apply to motors, switches, controls, lamps, driers, fuses, or other parts manufactured by others and purchased by the Seller unless the manufacturer of these items warrants the same to the Seller, and then only to the extent of those manufacturer's warranty to the Seller. Any products sold on an "AS IS" basis shall not be covered by this warranty.

Extended Warranties

In addition to the standard limited warranty, for further consideration, the Seller will extend to the original purchaser prior to shipment, a limited extended warranty on the compressor only, following expiration of the standard warranty. The Seller agrees to repair or exchange, at its option, or provide reimbursement for such exchange as directed, less any credit allowed for return of the original compressor, of a compressor of like or similar design and capacity, if it is shown to the satisfaction of Zero Zone that the compressor is inoperative due to defects in factory workmanship or material under normal use and services as outlined by Zero Zone in its Installation & Operation Manuals and other instructions.

Length of Extended Warranty

Any compressor warranty may be extended for an additional four (4) years, but such extension must be purchased prior to shipment to be effective. This warranty is only for the compressor and not for any other associated parts of the refrigeration system.

Product Not Manufactured by the Seller

The written warranty, if any, provided by the manufacturer of any part of the refrigeration unit sold by Seller to Buyer, but not manufactured by Seller, is hereby assigned to the Buyer. However, Seller makes no representation or warranty regarding the existence, validity, or enforceability of any such written warranty.

Limitation and Exclusion of Warranties

THE WARRANTIES SET FORTH HEREIN ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES AND REMEDIES WHATSOEVER, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE.

INTRODUCTION

Important User Information

Copyright ©2023 Zero Zone, Inc.

All rights reserved. No part of the contents of this manual may be reproduced, copied, or transmitted in any form or by any means including graphic, electronic, or mechanical methods or photocopying, recording, or information storage and retrieval systems without the written permission of the publisher, Zero Zone, unless it is for the purchaser's personal use.

The information in this manual is subject to change without notice and does not represent a commitment on the part of Zero Zone. Zero Zone does not assume any responsibility for any errors that may appear in this manual. In no event will Zero Zone be liable for technical or editorial omissions made herein, nor for direct, indirect, special, incidental, or consequential damages resulting from the use or defect of this manual.

The information in this document is not intended to cover all possible conditions and situations that might occur. The end user must exercise caution and common sense when installing, using, or maintaining Zero Zone products. Zero Zone products should only be installed by qualified, professional refrigeration technicians. If any questions or problems arise, call Zero Zone at 800-247-4496.

Any change to a Zero Zone product made during the installation, start-up, or at any other time must be submitted in writing to Zero Zone for approval and be approved by Zero Zone in writing prior to commission. The product warranty is voided when any unapproved change is made to a Zero Zone product.

Manufacturer

Zero Zone, Inc. • Display Case Division

110 N Oakridge Dr • North Prairie, WI 53153 • 800-247-4496 • www.zero-zone.com

Intended Use

Zero Zone products are intended to be installed and used as described in this manual and other related Zero Zone literature, specifications, drawings, and data. All Zero Zone products must be leveled after being installed.

CoolView® Door Options

The information contained in this manual pertains to Zero Zone doors and display cases. The following doors typically allocate with the following display cases.

DOOR NAME	CASE NAME	DOOR SIZES
Envision®	Highlight Merchandiser®	30" x 73"
		30" x 68"
		24" x 68"
Illusion®	Crystal Merchandiser®	30" x 74"
	Highlight Merchandiser®	30" x 73"
		30" x 68"
Ultra™	Crystal Merchandiser®	30" x 74"
	Reveal Merchandiser® with Doors	24" x 74"
		24" x 69"
	Highlight Merchandiser®	24" x 68"

COOLVIEW® ENVISION® DOORS


DOOR MODEL	3073 LT	3068 LT	3073 MT	3068 MT	2468 MT
Case Model	RHLC30T	RHLC30	RHMC30T	RHMC30	RHCC24
Case Name	Highlight Merchandiser®	Highlight Merchandiser®	Highlight Merchandiser®	Highlight Merchandiser®	Highlight Merchandiser®
Door Size	30" x 73"	30" x 68"	30" x 73"	30" x 68"	24" x 68"
Case Temp	Low Temp	Low Temp	Medium Temp	Medium Temp	Medium Temp
Rail Material	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Gasket	Full Perimeter on Door	Full Perimeter on Door	Full Perimeter on Door	Full Perimeter on Door	- Same Swing: Full Perimeter - French Swing: Full Perimeter, Sweeper on Handle Side
Glass Pack	3-Pane - Tempered Glass - Argon-Fill	3-Pane - Tempered Glass - Argon-Fill	2-Pane - Tempered Glass - Argon-Fill - Low-E Coating	2-Pane - Tempered Glass - Argon-Fill - Low-E Coating	2-Pane - Tempered Glass - Argon-Fill - Low-E Coating
Heated Glass	Yes	Yes	Not Available	Not Available	Not Available
Heated Rails	Yes	Yes	Not Available	Not Available	Not Available
High Heat Option ¹	With Controller for DOE Compliance ^{2,3}	With Controller for DOE Compliance ^{2,3}	- With Controller for DOE Compliance ² - Low Temp Door (3-Pane Glass)	- With Controller for DOE Compliance ² - Low Temp Door (3-Pane Glass)	Not Available
Available Handles	- Crescent™ - Classic™ - Full Length	- Crescent™ - Classic™ - Full Length	- Crescent™ - Classic™ - Full Length	- Crescent™ - Classic™ - Full Length	- Crescent™ - Classic™
Door & Handle Colors	- Black - Satin Silver - Polished Silver	- Black - Satin Silver - Polished Silver	- Black - Satin Silver - Polished Silver	- Black - Satin Silver - Polished Silver	- Black - Satin Silver - Polished Silver
Door Locks	Special	Special	Optional	Optional	Not Available
Solid Doors	Special	Special	Special	Special	Not Available
Glasspack Guard	Special	Special	Special	Special	Not Available

Notes:

1. High heat option doors required for high humidity package.
2. Controller not required for non-DOE installations.
3. 240V higher heat option available for non-DOE compliant orders.


COOLVIEW® ENVISION® DOORS

3073 LT/3073 MT




Highlight

3068 LT/3068 MT






Highlight

2468 MT




Highlight

DETAIL VIEWS



AVAILABLE HANDLES



Hold-Open Bracket

Torque Adjuster



COOLVIEW® ILLUSION® DOORS


DOOR MODEL	3074 LT	3073 LT	3068 LT
Case Model	RVLC30	RHLC30T	RHLC30
Case Name	Crystal Merchandiser®	Highlight Merchandiser®	Highlight Merchandiser®
Door Size	30" x 74"	30" x 73"	30" x 68"
Case Temp	Low Temp	Low Temp	Low Temp
Rail Material	Aluminum	Aluminum	Aluminum
Gasket	Full Perimeter on Door	Full Perimeter on Door	Full Perimeter on Door
Glass Pack	▪ 3-Pane ▪ Tempered Glass ▪ Argon-Fill ▪ Low-E Coating	▪ 3-Pane ▪ Tempered Glass ▪ Argon-Fill ▪ Low-E Coating	▪ 3-Pane ▪ Tempered Glass ▪ Argon-Fill ▪ Low-E Coating
Heated Glass	Yes	Yes	Yes
Heated Rails	Yes	Yes	Yes
High Heat Option ¹	With Controller for DOE Compliance ²	With Controller for DOE Compliance ²	With Controller for DOE Compliance ²
Available Handles	CoolArc™	CoolArc™	CoolArc™
Door & Handle Colors	▪ Black ▪ Satin Silver	▪ Black ▪ Satin Silver	▪ Black ▪ Satin Silver
Door Locks	Not Available	Not Available	Not Available
Solid Doors	Not Available	Not Available	Not Available
Glasspack Guard	Not Available	Not Available	Not Available

Notes:

1. High heat option doors required for high humidity package.
2. Controller not required for non-DOE installations.


COOLVIEW® ILLUSION® DOORS

3074 LT




CRYSTAL
MERCHANDISER

3073 LT






Highlight
MERCHANDISER

3068 LT



Highlight
MERCHANDISER

DETAIL VIEWS




AVAILABLE HANDLES



Low Temp
Hold-Open Bracket



Low Temp
Torque Adjuster





COOLVIEW® ULTRA™ DOORS

DOOR MODEL	3074 MT	2474 MT	2474 MT	2469 MT	2468 MT
Case Model	RVMC30	RVMC24	ORMC88D	ORMC83D	RHCC24
Case Name	Crystal Merchandiser®	Crystal Merchandiser®	Reveal Merchandiser® with Doors	Reveal Merchandiser® with Doors	Highlight Merchandiser®
Door Size	30" x 74"	24" x 74"	24" x 74"	24" x 69"	24" x 68"
Case Temp	Medium Temp	Medium Temp	Medium Temp	Medium Temp	Medium Temp
Rail Material	Aluminum/PVC	Aluminum/PVC	Aluminum/PVC	Aluminum/PVC	Aluminum/PVC
Gasket	Vertical on Door, Horizontal on Case	Vertical on Door, Horizontal on Case	Vertical on Door, Horizontal on Case	Vertical on Door, Horizontal on Case	Perimeter on 3 Sides, Sweeper on Handle Side
Glass Pack	■ 2-Pane ■ Tempered Glass ■ Argon-Fill ■ Low-E Coating	■ 2-Pane ■ Tempered Glass ■ Argon-Fill ■ Low-E Coating	■ 2-Pane ■ Tempered Glass ■ Argon-Fill ■ Low-E Coating	■ 2-Pane ■ Tempered Glass ■ Argon-Fill ■ Low-E Coating	■ 2-Pane ■ Tempered Glass ■ Argon-Fill ■ Low-E Coating
Heated Glass	Optional	Optional	Not Available	Not Available	Not Available
Heated Rails	Optional	Optional	Not Available	Not Available	Handle Side Only
High Heat Option ¹	Available	Available	Not Available	Not Available	Not Available
Available Handles	CoolArc™	CoolArc™	CoolArc™	CoolArc™	CoolArc™
Door & Handle Colors	■ Black ■ Satin Silver	■ Black ■ Satin Silver	■ Black ■ Satin Silver	■ Black ■ Satin Silver	■ Black ■ Satin Silver
Door Locks	Special	Special	Special	Special	Not Available
Solid Doors	Not Available	Not Available	Not Available	Not Available	Not Available
Glasspack Guard	Not Available	Not Available	Not Available	Not Available	Not Available



Notes:

1. High heat option doors required for high humidity package.

COOLVIEW® ULTRA™ DOORS



DETAIL VIEWS



AVAILABLE HANDLES






Medium Temp
Hold-Open Bracket






Medium Temp
Door Closer



COOLVIEW® ULTRA™ DOORS



DETAIL VIEWS



AVAILABLE HANDLES



Medium Temp
Hold-Open Bracket



Medium Temp
Door Closer





For other technical support, please refer to
the Technical Resources page at:

WWW.ZERO-ZONE.COM

or contact the Zero Zone Service Department at:

800-247-4496

All specifications subject to change without notice.

